Œ

100

Pagadof 4 200 167

100

300

67

200

34

400

134

CTCTCTTCATCATCATTATCTTAGCACTTGCTAGTTTGATTATCATTCGTCATAAGGACAATATAGCTCGTATCAAAAATAAAAACTGAAAATTTGGTC TIGGCAGTATGATTTCACTGTCTAGTGTCACAGCATCGATTGCGGCTGTTATCGGGGTTCTGCTCTTTCCACTTTTTGGTTTTATCCTGAGTAACTATGA AACCSTCATACTAAAGTGACAGATCACAGTGTCSTAGCTAACGCCGACAATAGCCCCCAAGACGAGAAAGGTGAAAAACCAAAATAGGACTCATTGATACT AAAGGIGGIAAGGCIGICGCAACCAGIGCIGGAGIGAITTICGGAITTIGCGCCIAICTICIGICTCTACCTIGCGAITAICTICTTIGGAGCICTCTAIC <u>ATGATTACAATAGTTTTATTAATCCTAGCCTATCTGCTGGGTTCGATTCCATCTGGTCTCTGGATTGGACAAGTATTCTTTCAAATCTACGCGAGC</u> I AACGCTGCTTCCGATTATTTTCATCTACAAGGCGTTTCTCCTCTCTTTTGGACTTTTGGCTGTTATCGGCCATACCTTCCCTATCTTTGCAGGATTT Ω <u>ATGGTTCTGGTAACACTGGAACGACCAACACCTTCCGCATTTTAGGTAAGAAAGCTGGTATGGCAACCTTTGTGATTGACTTTTTCAAAGGAACCCTAGC</u> taccaagaccattgtgaccttgctggttgtggaaggcgtaaaatccattctttcgaccataccgttggaaacactaactgaaaaagtttccttgggatcg ttgcgacgaaggctaataaaaagtagatgttccgcaaagaggagagtagaaacctgaaaaccgacaatagccggtatggaagggatagaaacgtcctaaa 4 Ĺ د O _ œ 4 _ ഗ ပ O **Z** _ ¥ [2, [i, Ĺ. 0 Œ Ĺ, Ö Ĺ Ω Ĺ. Ĺ Ξ 4 > L > O _ 0 ۵ Ĺ >-Ç. O H 4 4 3 L Σ _ ÇL, ... > O _ G G 4 U مه S × Ĺ. 4 ۵ × 4 Ö ے U S _ Q. Œ O S L S œ > > J 4 بتا Ö O >-H 0 4 4 > Z J S _ ഗ H × H S H Ĺ 4 ے L Ö **-**> J S 4 > z ۵ × I U J Ö S S . O O G ۲ × Σ 401 135 301 101 68 101 35 201

SEQ ID NO:11

SEQ ID NO:1

213

¥

×

Q.

Ω

0

I

H

ے

z

٦

O

3

Δ,

201

SEQ ID NO:2

642

CCTTGGGGATTGAACCTAACCCATCAAGATCCTAAAAATAA

GGAACCCCTAACTTGGATTGGGTAGTTCTAGGATTTTTATT

009

200

>

ے

z

u

H

×

z

×

œ

4

z

Ω

×

I

œ

.

ഗ

4

L

.

د

S

168

501

601

gagagagaagtagcgataatagaatcgtgaacgatcaaactaatagtaagcagtattcctgttatatccgagcatagtttttattttgacttttaaaccag

O.G. FIG. APPROVED SUBCLASS CLASS BY DRAFTSMAN

Matter No.: 06286-090002 2 of 4 cant(s): Christian Fritz et al. OF YNES, ESSENTIAL BACTERIAL GENES AN

100

×

عنا

×

4

۵

Ĺ

>

I

O

J

>

4

Œ

>

G

4

د

_

۵

I

Ω

>

I

Σ

د

<u>[</u>

۵.

4

H

68

301

G

S

4

¥

O

G

101

401

300

67

4

۱

Ü

¥ _1

-

Δ

U

4

>

>

S

O

4

×

>

G

۱

œ

ĹL,

4

z

۲

4

Ö

L

Z

O

S

U

35

201

400

200 167 134 SEQ ID NO:12 SEQ ID NO:3 SEQ ID NO:4 د, ے L H > 193 > 582 CACTATTTTTGTGATATACAGACACCGAGCGAACATTAAACGAATTATCAATAAAACAGAACCTAAAGTAAAATGGTTATAA بدا GTGATAAAAACACTATATGTCTGTGGCTCGCTTGTAATTTGCTTAATAGTTATTTTGTCTTGGATTTCATTTTACCAATATT . ٠ [a, L L > 3 4 ¥ > Ω > Σ I ¥ ⊢ > Ω۰ Ĺ w ß, Ĺ J S × L > ۵, 4 > >-۲ œ مدا > × ... **—** ב O z > H 4 .. œ

Σ

S

S

J

S

>

[24

¥

135

501

I

œ

>

>

(ع

H

168

ATGITAATTGCTITATTGATTATTTTGGCCTACTTGATAGGCAGCATTCCATCTGGCTTAATTGTGGGCAAGCTTGGCAAGGGAATTGATATTCGGGAGC

tacaattaacgaaataactaataaaacggatgaactatccgtcgtagggtagaccgaattaacacccgttcgaacggtttccttaactataagccctcg ω **ACGGAAGCGGCAACTTAGGCGCTACCAATGCATTCCGTACATTGGGTGTAAAAGCTGGTTCGGTCGTCA**TAGCCGGGGATATTTTGAAAGGGACACTGGC TGCCTTCGCCGTTGAATCCGCGATGGTTACGTAAGGCATGTAACCCACATTTTCGACCAAGCCAGCAGTATCGGCCTCTATAAAACTTTCCCTGTGACCG AACTGCATTGCCTTTTCTCATGCATGTTGATATTCACCCGCTTCTTGCAGGAGTCTTTGCGGTTTTAGGCCACGTGTTTCCCATCTTCGCCAAATTTAAA

ttgacgtaacggaaaagagtacgtacaactataagtgggcgaagaacgtcctcagaaacgccaaaatccggtgcacuaagggtagaagcggtttaaattt

200

34

Ö

×

4

_

¥

U

>

—

L

O

S

۵.

S

O

J

>

4

ے

د

J

4

J

Σ

-

101


100


eu . E


PRODUCT ဖ

STRATEGY FOR TARGETED DELETIONS OF GENES IN S. PNEUMONIAE

8









Strep. DNA

+

b) 3







NON-POLAR GENE KNOCKOUTS IN S. PNEUMONIAE

